Package: brotli (via r-universe)

October 28, 2026

Type Package

Title A Compression Format Optimized for the Web

Version 1.3.2

Description A lossless compressed data format that uses a combination of the LZ77 algorithm and Huffman coding <https://www.rfc-editor.org/rfc/rfc7932>. Brotli is similar in speed to deflate (gzip) but offers more dense compression.

License MIT + file LICENSE

URL https://jeroen.r-universe.dev/brotli

BugReports https://github.com/jeroen/brotli/issues

VignetteBuilder knitr, R.rsp

Suggests spelling, knitr, R.rsp, microbenchmark, rmarkdown, ggplot2

RoxygenNote 6.0.1

Language en-US

Repository https://jeroen.r-universe.dev

Date/Publication 2025-07-02 19:58:17 UTC

RemoteUrl https://github.com/jeroen/brotli

RemoteRef HEAD

RemoteSha ff9007292b32da4a2dd8f50e0ca2397d6fdb248f

Contents

brotli 2

Index **4**

`brotli` *Brotli Compression*

Description

Brotli is a compression algorithm optimized for the web, in particular small text documents.

Usage

```
brotli_compress(buf, quality = 11, window = 22)

brotli_decompress(buf)
```

Arguments

`buf`	raw vector with data to compress/decompress
`quality`	value between 0 and 11
`window`	log of window size

Details

Brotli decompression is at least as fast as for gzip while significantly improving the compression ratio. The price we pay is that compression is much slower than gzip. Brotli is therefore most effective for serving static content such as fonts and html pages.

For binary (non-text) data, the compression ratio of Brotli usually does not beat `bz2` or `xz (lzma)`, however decompression for these algorithms is too slow for browsers in e.g. mobile devices.

References

J. Alakuijala and Z. Szabadka (July 2016). *Brotli Compressed Data Format*. IETF Internet Draft https://www.rfc-editor.org/rfc/rfc7932.

See Also

memCompress

Examples

```
# Simple example
myfile <- file.path(R.home(), "COPYING")
x <- readBin(myfile, raw(), file.info(myfile)$size)
y <- brotli_compress(x)
stopifnot(identical(x, brotli_decompress(y)))

# Compare to other algorithms
length(x)
length(brotli_compress(x))
length(memCompress(x, "gzip"))
```

```
length(memCompress(x, "bzip2"))
length(memCompress(x, "xz"))
```

Index

brotli, 2
brotli_compress *(*brotli*)*, 2
brotli_decompress *(*brotli*)*, 2

memCompress, *2*