

Package: webp (via r-universe)

June 28, 2024

Type Package

Title A New Format for Lossless and Lossy Image Compression

Version 1.2.0

Author Jeroen Ooms

Maintainer Jeroen Ooms <jeroen@berkeley.edu>

Description Lossless webp images are 26% smaller in size compared to PNG. Lossy webp images are 25-34% smaller in size compared to JPEG. This package reads and writes webp images into a 3 (rgb) or 4 (rgba) channel bitmap array using conventions from the 'jpeg' and 'png' packages.

License MIT + file LICENSE

URL <https://jeroen.r-universe.dev/webp>

BugReports <https://github.com/jeroen/webp/issues>

SystemRequirements libwebp

Encoding UTF-8

Suggests jpeg, png

RoxygenNote 7.1.1

Language en-GB

Repository <https://jeroen.r-universe.dev>

RemoteUrl <https://github.com/jeroen/webp>

RemoteRef HEAD

RemoteSha 7c6727c35c1657d88d06068b5f5b36f6d44ad505

Contents

| | |
|---------------------|----------|
| read_webp | 2 |
| Index | 3 |

| | |
|-----------|--------------------------|
| read_webp | <i>Webp image format</i> |
|-----------|--------------------------|

Description

Read and write webp images into a bitmap array. The bitmap array uses the same conventions as the png and jpeg package.

Usage

```
read_webp(source, numeric = TRUE)
```

```
write_webp(image, target = NULL, quality = 80)
```

Arguments

| | |
|---------|--|
| source | raw vector or path to webp file |
| numeric | convert the image to 0-1 real numbers to be compatible with images from the jpeg or png package. |
| image | array of 3 dimensions (width * height * channel) with real numbers between 0 and 1. |
| target | path to a file or NULL to return the image as a raw vector |
| quality | value between 0 and 100 for lossy compression, or NA for lossless compression. |

Examples

```
# Convert to webp
library(png)
img <- readPNG(system.file("img", "Rlogo.png", package="png"))
out <- file.path(tempdir(), "rlogo.webp")
write_webp(img, out)
# browseURL(out)

# Convert from webp
library(jpeg)
img <- read_webp(out)
jpeg <- file.path(tempdir(), "rlogo.jpeg")
writeJPEG(img, jpeg)
# browseURL(jpeg)
```

Index

`read_webp`, [2](#)

`webp (read_webp)`, [2](#)

`write_webp (read_webp)`, [2](#)